

1. Product and Company Identification

Product Code: 05503 WERCS
Product Name: 1st Street Oven & Grill Cleaner

Manufacturer Information:
Company Name: Genlabs
5568 Schaefer Ave.
Chino, CA 91710
Phone Number: 1 (909)591-8451

Web site address: www.genlabscorp.com
Email address: sol@genlabscorp.com
Emergency Contact: Chemtrec 1 (800)424-9300

Supplier Name and Address:
Company Name: Amerifoods Trading Co.
P.O. Box 512377
Los Angeles, CA 90051-0377
Information: (800)427-3443 7600

Recommended Use: Oven Cleaner
Additional Information: 0036045

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 1A
Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: **Danger**

GHS Hazard Phrases: H332 - Harmful if inhaled.
H302 - Harmful if swallowed.
H312 - Harmful in contact with skin.
H314 - Causes severe skin burns and eye damage.
H319 - Can cause serious eye irritation.

GHS Precaution Phrases: P271 - Use only outdoors or in a well-ventilated area.
P261 - Avoid breathing fumes and spray mist.
P102 - Keep out of reach of children.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P362+364 - Take off contaminated clothing and wash it before reuse.
P264 - Wash hands thoroughly after handling.

GHS Response Phrases: P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P301+312 - If swallowed: Call a Poison Center or doctor if you feel unwell.
P303+361+353 - If on skin (or in hair): Take off immediately all contaminated clothing. Rinse skin with water.
P363 - Wash contaminated clothing before reuse.
P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313 - If eye irritation persists, get medical attention immediately.

SAFETY DATA SHEET

1st Street Oven & Grill Cleaner

Page: 2

Printed: 01/30/2019

Revision: 01/24/2019

P301+330+331 - If swallowed: Rinse mouth. Do NOT induce vomiting. P310 - Immediately call a POISON CENTER or doctor/physician.

GHS Storage and Disposal Phrases:

P501 - Dispose of contents and container according to the local, city, state and federal regulations.

P405 - Store locked up.

P403+233 - Store container tightly closed in well-ventilated place - if product is as volatile as to generate hazardous atmosphere.

Potential Health Effects (Acute and Chronic):

Prolonged or repeated eye contact may cause conjunctivitis.

Prolonged or repeated skin contact may cause dermatitis.

Inhalation:

Harmful if inhaled. Causes chemical burns to the respiratory tract.

Skin Contact:

Causes skin burns. Causes skin irritation. Harmful if absorbed through the skin.

Eye Contact:

Contact may cause ulceration of the conjunctiva and cornea. Eye damage may be delayed. Causes redness and pain. May cause chemical conjunctivitis and corneal damage. Causes eye irritation.

Ingestion:

Harmful if swallowed. May cause perforation of the digestive tract. Causes burns. May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
7732-18-5	Water	60.0 -80.0 %	
1310-73-2	Sodium hydroxide	1.0 -5.0 %	
111-76-2	Ethanol, 2-Butoxy-	1.0 -3.0 %	
6834-92-0	Silicic acid (H ₂ SiO ₃), Disodium salt	1.0 -3.0 %	
1300-72-7	Sodium xylenesulfonate	1.0 -3.0 %	
68439-57-6	Alpha Olefin sulfonate, sodium salt	0.1 -1.0 %	
1344-09-8	Sodium silicate	0.1 -1.0 %	
64-02-8	Ethylenediamine tetraacetic acid, tetrasodium salt	0.1 -1.0 %	
6359-90-6	Benzenesulfonic acid, 4-chloro-3-[4,5-dihydro-3-methyl-5-oxo-4-(phenylazo)-1H-pyrazol-1-yl]-, sodium salt	< 0.01 %	
3567-69-9	Carmoisine	< 0.01 %	

4. First Aid Measures

Emergency and First Aid Procedures:

In Case of Inhalation: If breathed in, move person into fresh air.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed. Extensive irrigation with water is required (at least 30 minutes). Continue rinsing eyes during transport to hospital.

In Case of Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: NE

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Autoignition Pt: NE

Suitable Extinguishing Media: Use dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Flammable Properties and Hazards: No data available.

Hazardous Combustion Products: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Clean up spills immediately, observing precautions in the Protective Equipment section. Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways.

7. Handling and Storage

Precautions To Be Taken in Handling: Wash thoroughly after handling. Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes. Avoid ingestion and inhalation.

Precautions To Be Taken in Storing: Keep container closed when not in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7732-18-5	Water	No data.	No data.	No data.
1310-73-2	Sodium hydroxide	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.
6834-92-0	Silicic acid (H2SiO3), Disodium salt	No data.	No data.	No data.
1300-72-7	Sodium xylenesulfonate	No data.	No data.	No data.
68439-57-6	Alpha Olefin sulfonate, sodium salt	No data.	No data.	No data.
1344-09-8	Sodium silicate	No data.	No data.	No data.
64-02-8	Ethylenediamine tetraacetic acid, tetrasodium salt	No data.	No data.	No data.
6359-90-6	Benzenesulfonic acid, 4-chloro-3-[4,5-dihydro-3-methyl-5-oxo-4-(phenylazo)-1H-pyrazol-1-yl]-, sodium salt	No data.	No data.	No data.
3567-69-9	Carmoisine	No data.	No data.	No data.

SAFETY DATA SHEET

1st Street Oven & Grill Cleaner

Page: 4

Printed: 01/30/2019
Revision: 01/24/2019

Respiratory Equipment (Specify Type):	Always use a NIOSH approved respirator when necessary.
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Face shield and safety glasses.
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure. Handle with gloves.
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure.
Engineering Controls (Ventilation etc.):	Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Orange color liquid with citrus odor.
pH:	~ 13.00 - 14.00
Melting Point:	NE
Boiling Point:	>= 212.00 F
Flash Pt:	NE
Evaporation Rate:	NE
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: N/A N.E. UEL: N/A N.E.
Vapor Pressure (vs. Air or mm Hg):	NE
Vapor Density (vs. Air = 1):	NE
Specific Gravity (Water = 1):	~ 1.080
Density:	~ 9.00 LB/GA
Bulk density:	NE
Solubility in Water:	100%
Saturated Vapor Concentration:	NE
Octanol/Water Partition Coefficient:	No data.
VOC / Volume:	32.4000 G/L
Autoignition Pt:	NE
Decomposition Temperature:	NE
Viscosity:	NP
Particle Size:	NE
Heat Value:	NE
Corrosion Rate:	NE

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: None.

Incompatibility - Materials To Avoid: Moisture, acids, Lead. Tin/tin oxides, Aluminum and Soft Metals. Strong oxidizing agents, Strong bases.

Hazardous Decomposition or Byproducts: CO, CO2.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions: None.

11. Toxicological Information

Toxicological Information: No data available.

Carcinogenicity/Other Information: CAS# 1310-58-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Carcinogenicity. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. California: Not listed. NTP: Not listed. IARC: Not listed.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7732-18-5	Water	n.a.	n.a.	n.a.	n.a.
1310-73-2	Sodium hydroxide	n.a.	n.a.	n.a.	n.a.
111-76-2	Ethanol, 2-Butoxy-	n.a.	3	A3	n.a.
6834-92-0	Silicic acid (H2SiO3), Disodium salt	n.a.	n.a.	n.a.	n.a.
1300-72-7	Sodium xylenesulfonate	n.a.	n.a.	n.a.	n.a.
68439-57-6	Alpha Olefin sulfonate, sodium salt	n.a.	n.a.	n.a.	n.a.
1344-09-8	Sodium silicate	n.a.	n.a.	n.a.	n.a.
64-02-8	Ethylenediamine tetraacetic acid, tetrasodium salt	n.a.	n.a.	n.a.	n.a.
6359-90-6	Benzenesulfonic acid,	n.a.	n.a.	n.a.	n.a.
3567-69-9	4-chloro-3-[4,5-dihydro-3-methyl-5-oxo-4-(phenylazo)-1H-pyrazol-1-yl]-, sodium salt Carmoisine	n.a.	3	n.a.	n.a.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Quart and one gallon: Limited Quantity.
 Five Gallons or Higher: UN3266, Corrosive Liquid, Basic, Inorganic, n.o.s., (Contains Sodium Metasilicate Pentahydrate, Sodium Hydroxide), 8, II.

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN3266 **Packing Group:** II



LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: UN3266, Corrosive Liquid, Basic, Inorganic, n.o.s., (Contains Sodium Metasilicate Pentahydrate, Sodium Hydroxide), 8, II.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: UN3266, Corrosive Liquid, Basic, Inorganic, n.o.s., (Contains Sodium Metasilicate Pentahydrate, Sodium Hydroxide), 8, II.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: UN3266, Corrosive Liquid, Basic, Inorganic, n.o.s., (Contains Sodium Metasilicate Pentahydrate, Sodium Hydroxide), 8, II.

15. Regulatory Information

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Acute (immediate) Health Hazard
<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Chronic (delayed) Health Hazard
<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Fire Hazard
<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Sudden Release of Pressure Hazard
<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Reactive Hazard

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7732-18-5	Water	CA PROP.65: No; CA TAC, Title 8: No
1310-73-2	Sodium hydroxide	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
111-76-2	Ethanol, 2-Butoxy-	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
6834-92-0	Silicic acid (H2SiO3), Disodium salt	CA PROP.65: No; CA TAC, Title 8: No

SAFETY DATA SHEET

1st Street Oven & Grill Cleaner

1300-72-7	Sodium xylenesulfonate	CA PROP.65: No; CA TAC, Title 8: No
68439-57-6	Alpha Olefin sulfonate, sodium salt	CA PROP.65: No; CA TAC, Title 8: No
1344-09-8	Sodium silicate	CA PROP.65: No; CA TAC, Title 8: No
64-02-8	Ethylenediamine tetraacetic acid, tetrasodium salt	CA PROP.65: No; CA TAC, Title 8: No
6359-90-6	Benzenesulfonic acid, 4-chloro-3-[4,5-dihydro-3-methyl-5-oxo-4-(phenylazo)-1H-pyrazol-1-yl]-, sodium salt	CA PROP.65: No; CA TAC, Title 8: No
3567-69-9	Carmoisine	CA PROP.65: No; CA TAC, Title 8: No


16. Other Information

Revision Date: 01/24/2019

Hazard Rating System:

HEALTH		2
FLAMMABILITY		0
PHYSICAL		0
PPE		F

HMIS:



Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.